



SylvaNeutralizer

TEST - For cleaning before maintaining
with lacquer or oil

For professional and private use.

Junckers SylvaNeutralizer is used for cleaning wood floor surfaces before maintaining with lacquer or oil. SylvaNeutralizer dries quickly and neutralises the surface after cleaning with Junckers SylvaCleaner. It is not necessary to clean the floor afterwards with water.

Package Size:

1 LITRE

Technical Information

F 10.3

GENERAL DESCRIPTION

Junckers SylvaNeutralizer neutralizes any residues left by Junckers SylvaCleaner before re-sealing a floor with oil or lacquer.

The product also removes grease from wooden sports floors.

Surface Treatment
Product Information
Junckers
SylvaNeutralizer
Commercial /
Residential / Sport

PRODUCT DESCRIPTION

TECHNICAL DATA

Before application: Shake/stir well before use.

Application tools: Well wrung cloth or mop.

Dilution: Approx. 200 ml per 10 litres of water.

Storage: Lasts for 2 years if unopened and stored at 20° C. Not to be exposed to temperatures below 0° C.

DIRECTION FOR USE

Always use a very well wrung cloth and always wipe up spills quickly using a dry cloth to prevent water damage.

Use Junckers Sylva Neutralizer to remove remains of Junckers Sylva Cleaner before relacquering.

Floors which have been treated with wax or polish will require sanding before relacquering.

FURTHER INFORMATION

Products:

F 10.2 - Junckers SylvaCleaner

