

WALKING ON DANISH DESIGN

ABOUT JUNCKERS

WITH JUNCKERS AS A
PROFESSIONAL PARTNER,
YOU ARE ALWAYS
ENSURED PROPER
TECHNICAL SERVICE
BEFORE, DURING AND
AFTER A PROJECT.

Junckers Industrier A/S is Europe's leading manufacturer of solid wood flooring for the sports, residential and commercial segments.

At the same time, we are the only flooring company in the market that can complement our products with a carefully balanced range of our own produced woodcare products for regular maintenance and renovation of wooden floors. Thereby, Junckers is always able to provide a complete solution regardless of the task at hand.

All our wood floors and wood-care products are produced in Denmark and are therefore developed based on the solid traditions of Danish craftsmanship.

The products are produced locally, which means we can focus on individual customer requirements. The advice and guidance provided is from our professional team closely tied to the daily production and therefore with particular expertise.

Junckers is represented in more than 30 countries through 7 subsidiaries and a network of distributors and agents. Exports account for two-thirds of the total sales and the products are sold in more than 45 countries worldwide.

OUR FLOORS WORK WITH UNDER FLOOR HEATING

Junckers is the only solid hardwood floor manufacturer guaranteeing that our floors work with under floor heating.

Every year we supply thousands of square meters of solid hardwood flooring for use with under floor heating, and we have been doing this for over 25 years – all without problem.

CONTENT

- 2 ABOUT JUNCKERS
- 4 A WIDE PRODUCT RANGE
- 6 PARQUET FLOORING
- 8 PLANK FLOORING
- 12 **TEXTURED AND COLORED** PLANK FLOORS
- 14 HERRINGBONE FLOORS
- 16 TWIN HERRINGBONE FLOORS
- 18 HERRINGBONE FLOORS - SINGLE STAVES AND PLANKS
- 19 **HEXPARKET**

We are able to draw upon a wealth of experience gained in many types of building and with many under floor heating systems. Whether your floor is in a residential property, shop, office, sports hall or dance studio, you get the same reliable performance that underpins all Junckers hardwood floor systems.

For the designer, Junckers floor systems are very easy to use with under Floor Heating, often it is unnecessary to alter the hardwood floor system in any way to include the heating system and we have yet to find a heating system which cannot be used with our floors. We offer full technical and design back up for all our systems so you can be sure that the floor will perform at its best. For the client and end-user you have a floor which is tried and tested, properly designed and one which will provide you with decades of trouble-free service.

SUSTAINABILITY ABOVE ALL!

- Zero wood waste We use every part of the tree, biomass in the form of wood waste powers our factory and the local energy grid
- Responsible forestry Junckers floors are chain of custody certified through FSC® and PEFC™
- Eco Friendly flooring 100% solid hardwood recyclable, reusable, and biodegradable
- CE-marked, ensures compliance with the EU legislation relating to safety, health and environment.
- Wellbeing Our floors and woodcare products carry the Danish Indoor Climate label.
- Green credentials EPDs. BRE Green Guide A+ rated and accreditation towards Passivhaus, LEED and BREEAM







Ask Junckers for FSC® or PEFC™ certified products





A WIDE PRODUCT RANGE


ALLOWS INDIVIDUAL EXPRESSION

Combine wood species, grain features and even a ships decking look with desired surface; urethane, oil, texture or color.





PLANK FLOORING Designed from one piece of solid hardwood. Fashionable and with a timeless expression.





HEXPARKET by Carpenter CPH & Hartmann Design with nature's perfect pattern

PARQUET COLLECTION

UP TO 3 DIFFERENT LOOKS OF THE FLOOR

CLASSIC:

Uniform look with very little color and structural graining variation.

HARMONY:

Natural look with a more natural range of color and structural graining variation.

VARIATION:

A rustic look with substantial color and graining variation.

BEECH

Thickness: 9/16" & 7/8"

Width: 5"

Surface: Clear oil, Ultra matte & Silk Matte urethane

Beech is Junckers' hallmark floor, a honored Scandinavian species with a minimal graining pattern. Our unique technology that creates our press dried beech makes this floor harder than maple.

BEECH NORDIC

Thickness: 9/16" & 7/8"

Width: 5"

Surface: Ultra matte urethane

A Beech floor board with a white toned surface. Adds a light Scandinavian touch to the floor.

BEECH SYLVAKET

Thickness: 9/16" & 7/8"

Width: 5"

Surface: Clear oil, Ultra matte & Silk Matte urethane

A Beech floor board colored through. Can be sanded without loss of color. Adds a warm golden glow to the floor.

BEECH SYLVAKET NORDIC

Thickness: 9/16" & 7/8"

Width: 5"

Surface: Ultra matte urethane

A beech floor board colored through in combination with a white toned surface. An appearance very similar to Oak.

BEECH SYLVARED

Thickness: 9/16" & 7/8"

Width: 5"

Surface: Ultra matte & Silk Matte

urethane

A Beech floor board colored through its full thickness in combination with a warm red stain. An interesting alternative to exotic wood species like Merbau and Mahogany.















OAK

Thickness: 9/16" & 7/8"

Width: 5"

Surface: Clear oil, Ultra matte & Silk Matte urethane

 $\boldsymbol{\mathsf{A}}$ floor board with a warm and golden glow and an interesting grain structure.

Natural ageing gives the wood an authentic appearance.

OAK NORDIC

Thickness: 9/16" & 7/8"

Width: 5"

Surface: Ultra matte urethane

An Oak floor board with a white toned surface. Adds a light Scandinavian touch to the floor.

ASH

Thickness: 7/8" Width: 5"

Surface: Clear oil, Ultra Matte & Silk Matte urethane

A floor board with an elegant, light appearance combined with a characteristic dark grain pattern. Over time, the natural aging gives Ash a warm and golden glow.

ASH NORDIC

Thickness: 7/8' Width: 5"

Surface: Ultra Matte urethane

An Ash floor board with a white toned surface. Adds a light Scandinavian touch to the floor.

BLACK OAK

Thickness: 9/16" & 7/8"

Width: 5"

Surface: Clear oil & Ultra matte urethane

An Oak floor board colored through. Can be sanded without loss of color.
Adds a very dark appearance similar to Oak preserved in a bog for centuries.



Factory oiled floors: Refresh with Junckers TopOil right after installation.

Transportation and handling On Site can cause a slightly worn look on oiled dark wood species.

PLANK COLLECTION

UP TO 3 DIFFERENT LOOKS OF THE FLOOR

CLASSIC:

Uniform look with very little color and structural graining variation.

HARMONY:

Natural look with a more natural range of color and structural graining variation.

VARIATION:

A rustic look with substantial color and graining variation.

3/4" OAK

Thickness x width: 3/4" x 5 1/2" Surface: Clear oil, Ultra matte & Silk Matte urethane

A floor board with a warm and golden glow and an interesting grain structure. Natural aging gives the wood an authentic appearance.

5/8" OAK

Thickness x width: 5/8" x 5"

Surface: Clear oil, Ultra matte & Silk Matte urethane

A floor board with a warm and golden glow and an interesting grain structure. Natural aging gives the wood an authentic appearance.

5/8" OAK NORDIC

Thickness x width: 5/8" x 5" Surface: Ultra matte urethane

An Oak floor board with a white toned surface. Adds a light Scandinavian touch to the floor.

3/4" OAK NORDIC

Thickness x width: 3/4" x 5 1/2" Surface: Ultra matte urethane

An Oak floor board with a white toned surface. Adds a light Scandinavian touch to the floor.

BLACK OAK

Thickness x width: 5/8" x 5" / 3/4" x 5 1/2" Surface: Clear oil & Ultra matte urethane

An Oak floor board colored through. Can be sanded without loss of color. Adds a very dark appearance similar to Oak preserved in a bog for centuries.



Factory oiled floors: Refresh with Junckers TopOil right after installation.
Transportation and handling on site can cause a slightly worn look on oiled dark wood floors.

For a truly superior look, choose Junckers Boulevard floors - Solid oak planks 7 3/8" wide. Extra width and extra luxury.

The planks convey a sense of style and class that looks outstanding in any room.



OAK BOULEVARD

Thickness: 3/4" Width: 7 3/8"

Surface: Clear oil, Ultra matte & Silk Matte urethane

A floor board with a warm and golden glow and an interesting grain structure. Natural ageing gives the wood an authentic appearance.

OAK NORDIC BOULEVARD

Thickness: 3/4" Width: 7 3/8"

Surface: Ultra matte urethane

An Oak floor board with a white toned surface. Adds a light Scandinavian touch to the floor.

BLACK OAK BOULEVARD

Thickness: 3/4" Width: 7 3/8"

Surface: Clear oil & Ultra matte urethane

An Oak floor board colored through. Can be sanded without loss of color.
Adds a very dark appearance similar to Oak preserved in a bog for centuries.



Factory oiled floors: Refresh with Junckers TopOil right after installation.
Transportation and handling on site can cause a slightly worn look on oiled dark wood species.

COLOR RANGE PARQUET AND PLANK

Colored Hardwood Flooring can sometimes be the the final touch that brings a room to life. Choose from a broad variety of colors to give a completely unique look.

NORDIC WHITE PLUS

Oak parquet Harmony

Thickness: 9/16" & 7/8" Width: 5" Surface: Ultra matte urethane

Oak plank Harmony

Thickness x width: 5/8" x 5" / 3/4" x 5 1/2" & 7 3/8" Surface: Ultra matte urethane

RAW SUGAR

Beech parquet Harmony

Thickness: 9/16" & 7/8" Width: 5" Surface: Ultra matte urethane

Oak plank Harmony

Thickness: 3/4" Width: 5 1/2" & 7 3/8" Surface: Ultra matte urethane

NATURAL PEARL

Oak 2 Strip Harmony

Thickness: 9/16" & 7/8"Width: 5" Surface: Ultra matte urethane

Oak plank Harmony

Thickness x width: 5/8" x 5" / 3/4" x 5 1/2" & 7 3/8"

Surface: Ultra matte urethane

GOLDEN PEARL

Oak parquet Harmony

Thickness: 9/16" & 7/8" Width: 5" Surface: Ultra matte urethane

Oak plank Harmony

Thickness x width: 5/8" x 5" / 3/4" x 5 1/2" & 7 3/8"

Surface: Ultra matte urethane

SILVER PEARL

Oak parquet Harmony

Thickness: 9/16" & 7/8" Width: 5" Surface: Ultra matte urethane

Oak plank Harmony

Thickness x width: 5/8" x 5" / 3/4" x 5 1/2" & 7 3/8"

Surface: Ultra matte urethane

DRIFTWOOD GREY

Oak parquet Harmony

Thickness: 9/16" & 7/8" Width: 5" Surface: Ultra matte urethane

Oak plank Harmony

Thickness x width: 5/8" x 5" / 3/4" x 5 1/2" & 7 3/8"

Surface: Ultra matte urethane

BLACK OIL

Beech parquet Harmony

Thickness: 9/16" & 7/8" Width: 5"

Surface: Black Oil



Factory oiled floors: Refresh with Junckers TopOil right after installation.

Transportation and handling on site can cause a slightly worn look on oiled dark wood species.



TEXTURED AND COLORED PLANK FLOORS

Junckers textured oak floors have a distinct surface that is produced via a special brushing technique developed by Junckers. By removing the softer sapwood from the upper surface of the wood, the tougher and darker heartwood is raised, showing off the lively grain structure in a silky-soft surface.

Combining the visual details added by the coloring with the enhanced textures is the ultimate floor - displaying great style and personality.

DRIFTWOOD GREY

Oak plank Harmony

Thickness: 3/4"
Width: 5 1/2" and 7 3/8"
Surface: Ultra matte urethane

RAW SUGAR

Oak plank Harmony

Thickness: 3/4" Width: 5 1/2" and 7 3/8" Surface: Ultra matte urethane

VISTA GREY


Oak plank Harmony

Thickness: 3/4" Width: 5 1/2" and 7 3/8" Surface: Ultra matte urethane









TEXTURED PARQUET AND PLANK FLOORS WITHOUT COLOR

Textured hardwood adds a whole new dimension to the floor and room. Combining the stunning looks of wooden floors, with the textured details adds an extra sensory dimension to the experience.

OAK

Parquet

Thickness: 9/16" & 7/8" Width: 5"
Surface: Untreated, clear oil, nordic
& Ultra matte urethane

15mm Oak plank Harmony Thickness x width: 5/8" x 5"

Surface: Untreated, clear oil, nordic & Ultra matte urethane

20,5 mm Oak plank Harmony

Thickness x width: 3/4" x 5 1/2" & 7 3/8" Surface: Untreated, clear oil, nordic & Ultra matte urethane

BLACK OAK

<u>Parquet</u>

Thickness: 9/16" & 7/8" Width: 5"

Surface: Untreated, clear oil & Ultra matte urethane

Plank Thickness x width:

5/8" x 5" /

3/4" x 5 1/2" & 7 3/8"

Surface: Untreated, clear oil & Ultra matte urethane













Factory oiled floors: Refresh with Junckers TopOil right after installation.
Transportation and handling on site can cause a slightly worn look on oiled dark wood species.



TRADITIONAL PATTERNS THE TWIN HERRINGBONE FLOORING

Twin Herringbone is inspired by traditional Herringbone flooring, but now with a twist and an exclusive look.

Each floor board consists of two rows of staves. One row with a full length stave and one row with two half-length staves.



OAK

Thickness x width x length: $9/16" / 7/8" \times 5" \times 20 3/8"$ Surface: Clear oil, Silk Matte urethane or Ultra matte urethane



TWIN HERRINGBONE COLOURS - GRADE HARMONY

BEECH



Surface: Clear oil, Ultra matte and silk matte urethane

BEECH SYLVAKET



Surface: Clear oil, Ultra matte and silk matte urethane

OAK



Surface: Clear oil, Ultra matte and silk matte urethane

OAK DRIFTWOOD GREY



Surface: Ultra matte urethane

BEECH NORDIC



Surface: Ultra matte urethane

NORDIC BEECH SYLVAKET



Surface: Ultra matte urethane

OAK NORDIC



Surface: Ultra matte urethane

BLACK OAK



Surface: Clear oil

BEECH RAW SUGAR



Surface: Ultra matte urethane

BEECH SYLVARED



Surface: Ultra matte and silk matte urethane

OAK NORDIC WHITE PLUS



Surface: Ultra matte urethane

BEECH BLACK OIL



Surface: Black oil





PATTERN FLOORING HERRINGBONE FLOORING- SINGLE STAVES AND PLANKS

Wooden floors in geometric patterns, tells the story of castles, classical mansion houses and museums. The aesthetics and timeless elegance of a herringbone floor is unique and can definitely also play a magnificent role in modern and classic homes and architecture.

Tongued and grooved single staves or planks. Can be installed in numerous patterns.



SINGLE STAVES

0ak

Thickness: 5/8" / 7/8"
Short stave: 2.3 x 18.5 inches
Long stave: 2.4 x 24.5 inches
Surface: Untreated to be sealed on site

HERRINGBONE - PLANKS

Thickness x width x length:

3/4" x 5.5" x 27.5" / 5/8" x 5" x 30.5"

Surface: The floor is delivered surface treated from factory and is available in the exact same variety of surfaces as Junckers Plank Flooring.







Black oak with clear oil: Refresh with Junckers TopOil right after installation.

Transportation and handling On Site can cause a slightly worn look on oiled dark wood species.

PATTERN FLOORING HEXPARKET

BY CARPENTER & HARTMANN

Shapes and patterns in nature have a great impact on architecture and interior design. We let ourselves be inspired and the hexagon - a pattern based on equilateral triangles - is just one of several basic geometric patterns emerged by forces of nature and basic mathematics. Just take a look at a beehive, snow crystals or the shape of certain flowers.



OAK

Thickness: 3/4"


Size: 14 9/16" x 14 9/16" x 14 9/16" **Surface:** Untreated to be sealed on site



BLACK OAK

Thickness: 3/4"

Size: 14 9/16" x 14 9/16" x 14 9/16" **Surface:** Untreated to be sealed on site



ji JUNCKERS

Walking on Danish design